

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A physiologically active composition containing:
an extract component from any one of a carpophore, a mycelium and a culture of more than two kinds of the Basidiomycete fungus selected from a group consisting of a fungus belonging to Basidiomycetes Aphyllophorales Ganoderma Ganodermaceae, a fungus belonging to Basidiomycetes Polyporaceae Coriolus, a fungus belonging to Basidiomycetes Agaricales Agaricaceae Agaricus, and a fungus belonging to Basidiomycetes Agaricales Hymenochaetaceae Phellinus; and
an extract component from a root of a plant belonging to Araliaceae .
2. (Original) The composition according to Claim 1, wherein the Phellinus fungus is Phellinus linteus.
3. (Currently Amended) The composition according to ~~Claim 1 or 2~~ Claim 1, wherein the Agaricus fungus is Agaricus blazei Murill.
4. (Currently Amended) The composition according to ~~any one of Claims 1 to 3~~ Claim 1, wherein the Ganodermaceae fungus is Reishi Fungus and the Coriolus fungus is Coriolus Versicolor.
5. (Currently Amended) The composition according to ~~any one of Claims 1 to 4~~ Claim 1, wherein at least the Ganodermaceae fungus is selected as the Basidiomycete fungus.
6. (Currently Amended) The composition according to ~~any one of Claims 1 to 5~~ Claim 1, wherein the Araliaceae plant is a ginseng.
7. (Currently Amended) The composition according to ~~any one of Claims 1 to 6~~ Claim 1, wherein the oxidation-reduction potential of an aqueous solution of the composition is not more than 1230 mV.

8. (Original) The composition according to Claim 7, wherein the oxidation-reduction potential of an aqueous solution of the composition is not more than 330 mV.
9. (Currently Amended) The composition according to ~~any one of Claims 1 to 8~~ Claim 1, wherein pH of an aqueous solution of the composition is not less than 4.5 and not more than 6.5.
10. (Currently Amended) The composition according to ~~any one of Claims 1 to 9~~ Claim 1, wherein the extract composition from any one of a carpophore, a mycelium and a culture of the Basidiomycete fungi and the extract component from a root of a plant belonging to Araliaceae are respectively extract components with hot water.
11. (Original) A drug formulation which is mixed when used and is provided with a first drug comprising an extract component from a carpophore, a mycelium and a culture of one or more than two kinds of the Basidiomycete fungi selected from a group comprising a fungus belonging to Basidiomycetes Aphyllophorales Ganoderma Ganodermaceae, a fungus belonging to Basidiomycetes Polyporaceae Coriolus, a fungus belonging to Basidiomycetes Agaricales Agaricaceae Agaricus, and a fungus belonging to Basidiomycetes Agaricales Hymenochaetaceae Phellinus, and a second drug comprising an extract component from a root of a plant belonging to Araliaceae .
12. (Original) A preparing method of a physiologically active composition, said method comprising the steps of;
- extracting with hot water any one of a carpophore, a mycelium and a culture of a fungus belonging to Basidiomycetes Aphyllophorales Ganoderma Ganodermaceae and/or a fungus belonging to Basidiomycetes Polyporaceae Coriolus;
- extracting with hot water any one of a carpophore, a mycelium and a culture of a fungus belonging to Basidiomycetes Agaricales Agaricaceae Agaricus and/or a fungus belonging to Basidiomycetes Agaricales Hymenochaetaceae Phellinus;

extracting a root of a plant belonging to Araliaceae with hot water; and
mixing the extract components with the hot water obtained in the extracting steps.

13. (Original) A preparing method of the physiologically active composition, said method comprising the steps of:

obtaining a hot water extract from any one of a carpophore, a mycelium and a culture of a fungus belonging to Basidiomycetes Aphyllophorales Ganoderma Ganodermaceae and/or a fungus belonging to Basidiomycetes Polyporaceae Coriolus, a hot water extract from any one of a carpophore, a mycelium and a culture of a fungus belonging to Basidiomycetes Agaricales Agaricaceae Agaricus and/or a fungus belonging to Basidiomycetes Agaricales Hymenochaetaceae Phellinus, and a hot water extract from a root of a plant belonging to Araliaceae separately or from the same extraction system with respect to at least more than two kinds of the hot water extracts, so as to prepare a composition comprising the hot water extract component from any one of a carpophore, a mycelium and a culture of a fungus belonging to Basidiomycetes Aphyllophorales Ganoderma Ganodermaceae and/or a fungus belonging to Basidiomycetes Polyporaceae Coriolus, the hot water extract component from any one of a carpophore, a mycelium and a culture of a fungus belonging to Basidiomycetes Agaricales Agaricaceae Agaricus and/or a fungus belonging to Basidiomycetes Agaricales Hymenochaetaceae Phellinus and the hot water extract component from a root of a plant belonging to Araliaceae.